

# SAFETY DATA SHEET

# Algolite

SECTION 1: Identification of the substance/mixture and of the company/undertaking
<ul> <li>1.1. Product identifier <ul> <li>Trade name</li> <li>Algolite</li> </ul> </li> <li>Product no. <ul> <li>OAI001238, OAI001239, OAI001240, OAI009325</li> </ul> </li> <li>1.2. Relevant identified uses of the substance or mixture and uses advised against</li> <li>Relevant identified uses of the substance or mixture</li> <li>Surface biocide and wood preservative</li> <li>Restricted to professional users.</li> <li>Uses advised against</li> <li>None known.</li> </ul> <li>1.3. Details of the supplier of the safety data sheet</li> <li>Company and address</li> <li>Origin Amenity Solutions Limited <ul> <li>1.3 Freeman Court</li> <li>Jarman Way</li> <li>Royston</li> <li>Hertfordshire</li> <li>SG8 5HW</li> <li>United Kingdom</li> <li>+44 (0)800 1387222 (Monday - Friday 09:00 - 17:00 GMT)</li> </ul> </li>
www.originamenity.com Contact person Wendy Johnson E-mail sds@originamenity.com Revision 18/12/2024 SDS Version 1.0 1.4. Emergency telephone number Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service) General public: England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 112 to reach NHS 24 (24 hour service) Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture Skin Irrit. 2; H315, Causes skin irritation.Eye Dam. 1; H318, Causes serious eye damage.Aquatic Acute 1; H400, Very toxic to aquatic life.



Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

Hazard pictogram(s) Signal word Danger Hazard statement(s) Causes skin irritation. (H315) Causes serious eye damage. (H318) Very toxic to aquatic life with long lasting effects. (H410) Precautionary statement(s) General -Prevention Wash hands and exposed skin thoroughly after handling. (P264) Avoid release to the environment. (P273) Wear eye protection/protective gloves/protective clothing. (P280) Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310) Storage -

# Disposal

2.2. Label elements

Dispose of contents/container in accordance with local regulation (P501)

# Hazardous substances

 ${\it didecyldimethylammonium\ chloride}$ 

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

# Additional labelling

Not applicable.

# 2.3. Other hazards

# Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

# 3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures				
Product/substance	Identifiers	% w/w	Classification	Note
didecyldimethylammonium chloride	CAS No.: 7173-51-5 EC No.: 230-525-2 UK-REACH: Index No.: 612-131-00-6	3-5%	EUH071 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	[4]
propan-2-ol;isopropyl alcohol;isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH:	1-3%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	



	Index No.: 603-117-00-0		
Amines, C12-14 (even	CAS No.: 308062-28-4	<1%	Acute Tox. 4, H302
numbered)-alkyldimethyl, N-	EC No.: 931-292-6		Skin Irrit. 2, H315
oxides	UK-REACH:		Eye Dam. 1, H318
	Index No.:		Aquatic Acute 1, H400 (M=1)
			Aquatic Chronic 2, H411

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[4] Substance is listed in Annex I of the Prior Informed Consent Regulation (PIC, Regulation (EU) 649/2012).

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

#### **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

# Burns

Not applicable.

# 4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

# Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.



#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: •3Z

SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

#### Storage conditions

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propan-2-ol;isopropyl alcohol;isopropanol



Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	5.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	11 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.53 mg/m³
Long term – Systemic effects - Workers	Inhalation	6.2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	440 µg/kg bw/day
propan-2-ol;isopropyl alcohol;isopropanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

# PNEC

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		33.5 μg/L
Freshwater sediment		5.24 mg/kg
Intermittent release (freshwater)		33.5 μg/L
Marine water		3.35 μg/L
Marine water sediment		524 µg/kg
Predators		11.1 mg/kg
Sewage treatment plant		24 mg/L
Soil		1.02 mg/kg

# didecyldimethylammonium chloride

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.1 μg/L
Freshwater sediment		61.86 mg/kg
Intermittent release (freshwater)		210 ng/L
Intermittent release (marine water)		21 ng/L
Marine water		110 ng/L
Marine water sediment		6.186 mg/kg



Sewage treatment plant		140 µg/L
Soil		1.4 mg/kg
propan-2-ol;isopropyl alcohol;isopropanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

# 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

# General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

# **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

Take off contaminated clothing and wash it before reuse.

# Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

# **Respiratory Equipment**

Туре	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				
kin protection				
Recommended	Type/Category	S	tandards	
Dedicated work clothing should be worn.	-	-		R
land protection				



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407	
Eye protection				
Туре	Standards			
Safety glass shields.	es with side EN166			$\overline{\mathbf{\Theta}}$
SECTION 9: Phys	ical and chemical properties			
Physical state Liquid Colour No relevan Odour / Odour	t or available data due to the nat	ure of the product.		
Particle charac Does not a Phase changes Melting point/ No relevan Softening poir	osity t or available data due to the nat steristics oply to liquids. Freezing point (°C) t or available data due to the nat st/range (°C)			
Boiling point (	t or available data due to the nat	ure of the product.		
No relevan Relative vapou No relevan	t or available data due to the nat ir density t or available data due to the nat	·		
No relevan	n temperature (°C) t or available data due to the nat explosion hazards	ure of the product.		
Flash point (°C No relevan Flammability (	) t or available data due to the nat °C)	·		
Auto-ignition t No relevan	t or available data due to the nat emperature (°C) t or available data due to the nat	·		
	per explosion limit (% v/v) t or available data due to the nat	ure of the product.		



# amenity solutions

### According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

#### Solubility in water

No relevant or available data due to the nature of the product.

n-octanol/water coefficient (LogKow)

No relevant or available data due to the nature of the product.

# Solubility in fat (g/L)

No relevant or available data due to the nature of the product.

# 9.2. Other information

#### **Oxidizing properties**

No relevant or available data due to the nature of the product.

Other physical and chemical parameters

No data available.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

- No data available.
- 10.2. Chemical stability
- The product is stable under the conditions, noted in section 7 "Handling and storage".
- 10.3. Possibility of hazardous reactions
- None known.
- 10.4. Conditions to avoid

# None known.

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

#### SECTION 11: Toxicological information



irreversible effects on the eye / serious eye damage.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

# Other information

propan-2-ol; isopropyl alcohol; isopropanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

- 12.4. Mobility in soil
  - No data available.
- 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

# 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

# SECTION 13: Disposal considerations

# Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

# EWC code

Not applicable.

# Specific labelling

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

		14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
UN3082	SUBSTANCE, LIQUID, N.O.S. (Amines,	Label: 9	III	Yes	Limited quantities: 5 L Tunnel restriction code: (-) See below for
	UN / ID	C12-14 (even numbered)-alkyldimethyl,	UN / ID       UN proper shipping name       Hazard class(es)         UN3082       ENVIRONMENTALLY HAZARDOUS       Transport hazard class: 9         SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14 (even numbered)-alkyldimethyl, Classification code: M6       Classification code: M6	UN / IDUN proper shipping nameHazard class(es)PG*UN3082ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14 (even numbered)-alkyldimethyl,Transport hazard class: 9IIILabel: 9 Classification code: M6Classification code: M6Classification code: M6	UN / IDUN proper shipping nameHazard class(es)PG*Env**UN3082ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14 (even numbered)-alkyldimethyl,Transport hazard class: 9 Label: 9 Classification code: M6IIIYes



			$\wedge$			
						additional informatior
MDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides)	Transport hazard class: 9 Label: 9 Classification code: M6	Ш	Yes	Limited quantities: L EmS: F-A S- See below for additional information
<b>ΑΤΑ</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides)	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	See below for additional information
These sub packaging subject to 4.1.1.2, 4. - ADR / See with trans accidents IMDG / See transport. IATA / See transport. Hazchem	ntal haz formati uct is w ostances g of 5 L any otl 1.1.4 - 4 Table A sport. So during e section Code: • precau cable.	ion ithin scope of the regulations of tran s when carried in single or combinati or less for liquids or having a net ma her provisions of ADR/IMDG/IATA pro I.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6 A, section 3.2.1 for any information of ee section 5.4.3, for instructions in we transport. on 3.2.1, for any information on special 4.2 for any information on special pro	ion packaging's containing a net q ss per single or inner packaging o ovided the packaging's meet the g 5.1.1, 5.0.2.8 (IATA). n special provisions, requirements riting regarding mitigation of dam ial provisions, requirements, or wa ovisions, requirements, or warning	f 5 kg or l eneral pr s, or warn nages in re arnings in	ess for so ovisions o ings in cc elation to connecti	blids, are no of 4.1.1.1, onnection incidents o ion with
14.7. Maritim						

Restrictions for application

Restricted to professional users.



# Demands for specific education

# No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes UK-REACH. Annex XVII

propan-2-ol; isopropyl alcohol; isopropanol is subject to UK-REACH restrictions (entry 40).

Additional information

Not applicable.

Sources

The Management of Health and Safety at Work Regulations 1999.

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

# 15.2. Chemical safety assessment

No

SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H225, Highly flammable liquid and vapour.

- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H336, May cause drowsiness or dizziness.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container



IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# The safety data sheet is validated by

Wendy Johnson

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en